

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

# U.S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTITY (As Used on Label and List)  Kozak Auto Drywash	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

## Section I

Manufacturer's Name Summit Industries, Inc.	Emergency Telephone Number (770) 590-0600
Address (Number, Street, City, State, and ZIP Code) 839 Pickens Industrial Drive  Marietta, GA 30062	Telephone Number for Information (770) 590-0600  Date Prepared November 27, 2007
	Signature of Preparer (optional)

## Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
Proprietary formula – trade secret				

## Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	0.86 @ 15.6°C/15.6°C
Vapor Pressure (mm Hg)	Less than 0.01 mm Hg @ 20°C	Melting Point	-18° C
Vapor Density (AIR = 1)	Greater than 5	Evaporation Rate (Butyl Acetate = 1)	Less than 0.01 @ 1 ATM
Solubility in Water	Negligible	Water Reactive	Stable
Appearance and Odor	Treated cloth – “root beer” like aroma		

## Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 380° F Cleve open	Auto-ignition Temp. GT 500° F	LEL 9%	UEL 7
Extinguishing Media Foam, water spray (fog), dry chemical, CO <sub>2</sub> and vaporizing type.	Special Fire Fighting Procedures Use supplied-air breathing equip. for enclosed or confined spaces.		
Unusual Fire and Explosion Hazards None			
(Reproduce locally)	OSHA 174, Sept. 1985		

## Section V - Reactivity Data

Stability		Unstable	Conditions to Avoid
	X	Stable	Avoid contact with strong oxidants such as liquid chlorine, concentrated O <sub>2</sub> , sodium hypochlorite, or calcium hypochlorite.
Incompatibility ( <i>Materials to Avoid</i> )			Unknown
Hazardous Decomposition or Byproducts			Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes if not completely combusted.
Hazardous Polymerization		May Occur	Conditions to Avoid (see above)
	X	Will Not Occur	

## Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin? Yes	Ingestion?
Health Hazards ( <i>Acute and Chronic</i> )		Product has a low order of acute oral and dermal toxicity.	
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure		Prolonged skin contact may cause skin irritation.	
Medical Conditions Generally Aggravated by Exposure		None known	
Emergency and First Aid Procedures			
Eye Contact	Flush with clear water for 15 min. or until irritation subsides. If condition persists, call physician		
Skin Contact	Wash thoroughly with soap and water.		
Inhalation	If overcome by vapor, immediately remove from exposure and call physician		
Ingestion	Do not induce vomiting, call physician immediately.		

## Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled –	N/A
Waste Disposal Method –	None listed
Precautions to Be taken in Handling and Storing	Store in pouch. Do not store near heat, sparks, flame or strong oxidants.

## Section VIII - Control Measures

Respiratory Protection ( <i>Specify Type</i> )		Not needed	
Ventilation –	Local Exhaust –	N/A	Special – N/A
	Mechanical ( <i>General</i> ) –	N/A	Other – N/A
Protective Gloves	Use if desired	Eye Protection	N/A
Other Protective Clothing or Equipment	None needed	Work/Hygienic Practices	Use gloves if desired, wash hands with soap & H <sub>2</sub> O after using.
Page 2		* U.S.G.P.O.: 1986 - 491 - 529/45775	